

## 9.0 REFERENCES

- Abel, D.E. (1977) Introduction to computer modelling. In: De Boer, A.J. and Rose, C.W. (eds) *Applications in Agricultural Modelling*. pp. 157-176. (Queensland Branch, Australian Institute of Agricultural Science, Brisbane)
- Abel, N.O.J. (1992) *What's in a number? The carrying capacity controversy on the communal rangelands of southern Africa*. Ph.D. Thesis. University of East Anglia.
- Abel, N.O.J. and Blaikie, P.M. (1989) Land degradation, stocking rates and conservation policies in the communal rangelands of Botswana and Zimbabwe. *Land Degradation and Rehabilitation*, 1, 101-123.
- Ahern, C.R. and Mills, J.R. (1990) Soils. In: Mills, J.R., Ahern, C.R., Purdie, R.W. and McDonald, W.J.F. (eds) *Western Arid Region Land use study Part 3*. pp. 10-25. Land Resources Technical Bulletin No. 29. (Queensland Department of Primary Industries, Brisbane).
- Anderson, V.J., Hacker, R.B. and Hodgkinson, K.C. (1994) Photographic utilisation standards for three perennial grasses. *The Rangeland Journal*, 16, 135-140.
- Anon. (1977) *Farm Management Handbook*. 5th Edn. (Queensland Department of Primary Industries: Brisbane.)
- Anon. (1993) Mulga Region-A study of the inter-dependence of the environment, pastoral production and the economy. *A position paper prepared by the Queensland Department of Lands, Brisbane*.
- Ash, A.J. and McIvor, J.G. (1995) Land condition in the tropical tallgrass pasture lands. 2. Effects on herbage quality and nutrient uptake. *Rangeland Journal*, 17, 86-98.
- Ash, A.J. and Stafford Smith, D.M. (1996) Evaluating stocking rate impacts in rangelands: why we must move beyond traditional research approaches. *Rangeland Journal*, 18, 216-243.
- Australian Bureau of Statistics, (ABS) Statistics of Queensland.
- Bartels, G.B., Norton, B.E. and Perrier, G.K. (1993) An examination of the carrying capacity concept. In: Behnke, R.H., Scoones, I. and Kerven, C. (eds) *Range Ecology at Disequilibrium, New Models of Natural Variability and Pastoral Adaptation in African Savannas*. pp. 89-103. (Overseas Development Institute, Regent's College, Inner Circle, Regents Park, London.)
- Beadle, N.C.W. (1948) The vegetation and pastures of Western New South Wales with special reference to soil erosion. (Govt. Printer. Sydney.)
- Beale, I.F. (1971) *The effect of thinning on the productivity of two mulga (Acacia aneura F. Muell.) communities in south western Queensland*. M.Agr.Sc. Thesis, University of Queensland.
- Beale, I.F. (1973) Tree density effects on yields of herbage and tree components in South West Queensland mulga scrub. *Tropical Grasslands*, 7, 35-42.
- Beale, I.F. (1975) *Forage intake and digestion by sheep in the Mulga zone of Queensland Australia*. Ph.D. Thesis. Colorado State University.
- Beale, I.F., Mills, J.R., and Pressland, A.J. (1984) Use and Conservation of Arid Rangeland in Queensland. *Proceedings of a Symposium on Rural Research into Arid Zone Pastoral Problems. Mt Isa. 1984*. pp. 1-7.

- Beale, I.F. (1985) Animal-plant interactions in native pastures of western Queensland. *Final report to Australian Wool Corporation, (W.R.T.F. K/2/900 (C)). Queensland Department of Primary Industries.*
- Beale, I.F. (1986) Grazing land productivity and stability. *Final report to Australian Wool Corporation, (W.R.T.F. K/2/900 (B)). Queensland Department of Primary Industries.*
- Behnke, R.H. and Scoones, I. (1993) Rethinking range ecology: implications for rangeland management in Africa. In: Behnke, R.H., Scoones, I. and Kerven, C. (eds) *Range Ecology at Disequilibrium, New Models of Natural Variability and Pastoral Adaptation in African Savannas.* pp. 1-30. (Overseas Development Institute, Regent's College, Inner Circle, Regents Park, London.)
- Berndt, R.D. and White, B.J. (1976) A simulation based evaluation of three cropping systems on cracking - clay soils in a summer rainfall environment. *Agricultural Meteorology*, 16, 211-229.
- Biddiscombe, E.F. (1987) The productivity of Mediterranean and semi-arid grasslands. In: Snaydon R.W. (ed.) *Ecosystems of the World: Managed Grasslands: Analytical Studies.* pp.19-27 (Elsevier Press, Amsterdam).
- Blake, S.T. (1938) The plant communities of Western Queensland and their relationships, with special reference to the grazing industry. *Proceedings of the Royal Society of Queensland 1938.* 49, 156-204
- Blake, T.W. (1979) *Cunnamulla 1879 - 1979. A brief history of the Paroo Shire.* (Paroo Shire Council: Cunnamulla).
- Boyland, D.E., (1984) Vegetation survey of Queensland - South Western Queensland. *Queensland Botany Bulletin No. 4. Queensland Department of Primary Industries, Brisbane.*
- Brown, D. (1954) Methods of surveying and measuring vegetation. *Bulletin No. 42, Commonwealth Bureau of Pastures and Field Crops, Hurley, Berks. Commonwealth Agricultural Bureaux Farnham Royal, Bucks, England.*
- Brown, R.F. (1981) Drought forage utilisation, and their effects on the survival and recruitment of grasses of the mulga (*Acacia aneura*) woodlands. *Proceedings of the 3rd Biennial Conference of the Australian Rangeland Society, Alice Springs, 1981.* pp. 213-219.
- Brown, R.F. (1982) Tiller development as a possible factor in the survival of the two grasses *Aristida armata* and *Thyridolepis mitchelliana*. *Australian Rangeland Journal*, 4, 34-38.
- Brown, R.F. (1985) The effect of severe defoliation on the subsequent growth and development of five rangeland pasture grasses of South-Western Queensland. *Australian Journal of Ecology*, 10, 335-343.
- Brown, R.F. (1986) The effects of burning, fertilising and clipping on populations of *Aristida armata*, *Thyridolepis mitchelliana* and *Monachather paradoxa* in a Mulga woodland pasture. *Australian Rangeland Journal*, 8, 4-10.
- Buell, M.F. and Cantlon, J.E. (1950) A study of two communities of the New Jersey Pine Barons and a comparison of methods. *Ecology*, 31, 567-586.
- Burrows, W.H. (1973) Regeneration and Spatial Patterns of *Acacia aneura* in South West Queensland. *Tropical Grasslands*, 7, 57-68.

- Burrows, W.H. and Beale, I.F. (1969) Structure and Association in the mulga lands of South West Queensland. *Australian Journal of Botany*, 17, 539-552.
- Burrows, W.H. and Beale, I.F. (1976) Techniques for studying vegetation in the semi-arid pastoral zone. In: Burrows, W.H. (ed) *Native Pastures Methods Workshop. Mimeograph, Department of Primary Industries, Charleville Pastoral Laboratory, Charleville*. pp. 2-8.
- Buxton, R., Drysdale, A. and Stafford Smith, M. (1995) DroughtPlan: Regional Report: South West Queensland. *Report to LWRDC prepared by CSIRO, Alice Springs*.
- Carter, J.O. and Johnston P.W. (1986) Modelling expected fuel loads for fire at Charleville in Western Queensland. *Proceedings of the 3rd Queensland Fire Research Workshop, Gatton, 1986*. pp. 55-67.
- Caughley, G. (1982) Vegetation complexity and the dynamics of modeled grazing systems. *Oecologia*, 54, 309-312.
- Christian, C.S. and Stewart, G.A. (1968). Methodology of integrated surveys. In: Aerial surveys and Integrated Studies. *Proceedings of the Toulouse Conference, Paris, U.N.E.S.C.O. 1968*. pp233-280.
- Christie, E.K. (1975a) Physiological responses of semi - arid grasses, III Growth in response to temperature and soil water deficit. *Australian Journal of Agricultural Research*, 26, 447-457.
- Christie, E.K. (1975b) Physiological responses of semi - arid grasses, II The pattern of root growth in relation to external concentration. *Australian Journal of Agricultural Research*, 26, 437-446.
- Christie, E.K. (1978) Ecosystem process in semi - arid grasslands, I Primary production and water use of two communities possessing different photosynthetic pathways. *Australian Journal of Agricultural Research*, 29, 773-787.
- Christie, E.K. (1979) Ecosystem process in semi - arid grasslands, II Litter production, decomposition and nutrient dynamics. *Australian Journal of Agricultural Research*, 30, 29-42.
- Christie, E.K. (1981) Biomass and nutrient dynamics in a C4 semi-arid Australian grassland community. *Journal of Applied Ecology*, 18, 907-918.
- Christie, E.K. and Hughes, P.G. (1983) Interrelationships between net primary production, ground - story condition and grazing capacity of the *Acacia aneura* rangelands of semi - arid Australia. *Agricultural Systems*, 12, 191-211.
- Clarkson, N.M. and Owens, D.T. (1991) *Rainman-Rainfall information for better management*. (Queensland Department of Primary Industries, Brisbane).
- Clewett, J.F. (1985) Shallow storage irrigation for sorghum production in North West Queensland. *Bulletin Series QB 85002. Queensland Department of Primary Industries, Brisbane*.
- Condon, R.W., Newman, J.C. and Cunningham, G.M. (1969) Soil erosion and pasture degeneration in central Australia. III The assessment of grazing capacity. *Journal of the Soil Conservation Service of New South Wales*, 25, 225-250.
- Cooney, D. (1995) Mulga lands carrying capacity survey report. *Report to the Queensland Department of Lands, Brisbane*.

- Coughenour, M.B., McNaughton, S.J. and Wallace, L.L. (1984) Modelling primary production of perennial graminoids - uniting physiological processes and morphometric traits. *Ecological Modeling*, 23, 101-134.
- Cox, P.G. (1996) Some issues in the design of agricultural decision support systems. *Agricultural Systems*. (in press)
- Crichton, R. (1995) Mulga lands carrying capacity survey report. *Report to the Queensland Department of Lands, Brisbane*.
- Daly, J.J. and Dudgeon, G.S. (1987) Drought management reduces degradation. *Queensland Agricultural Journal*, 113, 45-49.
- Danaher, T., Carter, J.O., Brook, K.D. and Dudgeon, G. (1992) Broad-scale vegetation mapping using NOAA AVHRR imagery. *Proceedings of the Sixth Australasian Remote Sensing Conference, 2-6 November 1992, Wellington, New Zealand*. 3, 128-137.
- Danckwerts, J.E. (1982) The grazing capacity of sweetveld: 2. A model to estimate grazing capacity in the False Thornveld of the Eastern Cape. *Proceedings of the Grassland Society of South Africa*, 17, 94-98.
- Danckwerts, J.E. (1984) The importance of a correct stocking rate. *Dohne Agriculture*, 6, 4-7.
- Davies, J.G., Scott, A.E., and Kennedy, J.F. (1938) The yield and composition of a Mitchell grass pasture over a period of twelve months. *Journal of the Council for Scientific and Industrial Research*, 11, 127-139.
- Dawson, N.M. and Ahern, C.R. (1973) Soils and Landscapes of Mulga lands with special reference to South West Queensland. *Tropical Grasslands*, 7, 23-24.
- Dawson, N.M. (1974) Land Systems. In: *Western Arid Region Land Use Study, Part 1*. pp. 74-83. *Land Resources Technical Bulletin, No. 12. Queensland Department of Primary Industries, Brisbane*.
- Dawson, N.M. and Ahern, C.R. (1974) Soils. In: *Western Arid Region Land Use Study, Part 1*. pp. 20-29. *Land Resources Technical Bulletin, No. 12. (Queensland Department of Primary Industries, Brisbane)*.
- Dawson, N.M. and Boyland, D.E. (1974) Resource Use. In: *Western Arid Region Land Use Study, Part 1*. pp. 104-129. *Land Resources Technical Bulletin, No. 12. (Queensland Department of Primary Industries, Brisbane)*.
- Day, K.A., McKeon, G.M. and Carter, J.O. (1996) Evaluating the risk of land and pasture degradation in native pastures of Queensland. *Final Project Report, RIRDC Project DAQ124A, Queensland Department of Primary Industries, Brisbane*.
- Day, K.A., McKeon, G.M. and Orr, D.M. (1993) Comparison of methods for assessing productivity of native pasture in Queensland. *Proceedings of the XVII International Grassland Congress, Palmerston North, New Zealand and Rockhampton, Australia, February 1993*, pp. 784-785.
- Day, K.A., and Philp, M.W. (1997) SWIFTSYND - A methodology for measuring a minimum data set for calibrating pasture and soil parameters of the pasture growth model GRASP. In: Day, K.A., McKeon, G.M. and Carter, J.O. (eds) *Evaluating the Risks of Pasture and Land Degradation in Native Pastures in Queensland. Final Report to RIRDC DAQ-124A, Queensland Department of Primary Industries, Brisbane. Appendix 3*.

- De Jong, R. and Zentner, R.P. (1985) Assessment of the SPAW model for semi - arid growing conditions with minimal local calibration. *Agricultural Water Management*, 10, 31-46.
- Ebersohn, J.P. (1970) Herbage production from native grasses and sown pastures in south-west Queensland. *Tropical Grasslands*, 4, 37-41.
- Evans, R.A. and Love, R.M. (1957) The step-point method of sampling-A practical tool in range research. *Journal of Range Management*, 10, 208-212.
- Everist, S.L. (1949) Mulga (*Acacia aneura* F. Muell) in Queensland. *Queensland Journal of Agricultural Science*, 6, 87-131.
- Fitzpatrick, E.A. and Nix, H.A. (1970) The climate factor in Australian Grassland Ecology. In: Moore, R.M. (ed) *Australian Grasslands*. pp. 1-26. (Australian National University Press: Canberra.)
- Freeman, T.G. and Benyon, P.R. (1983) *Pastoral and social problems in a semi-arid environment; a simulation model*. (CSIRO Division of Computing Research: Canberra.)
- Freer, M. and Christian, K.R. (1980) Use of simulation models in constructing grazing systems. In: Wheeler, J.L. and Mochrie, R.D. (eds) *Workshop Proceedings: Forage Evaluation and Utilisation - An Appraisal of Concepts and Techniques, Armidale, 1980*. pp. 483-497. (American Forage and Grassland Council, Lexington Kentucky and CSIRO Australia.)
- Gardener, C.J., McIvor, J.G. and Williams, J. (1990) Dry tropical rangelands: solving one problem and creating another. *Proceedings of the Ecological Society of Australia*, 16, 279-286.
- Gillard, P. (1979) Improvement of native pasture with Townsville stylo in the dry tropics of sub-coastal northern Queensland. *Australian Journal of Experimental Agriculture and Animal Husbandry*, 19, 325-336.
- Goulden, C.H. (1952) *Methods of Statistical Analysis*. (John Wiley & Sons: New York).
- Graetz, R.D. and Wilson, A.D. (1990) Saltbush and Bluebush. In: Harrington, G.N., Wilson, A.D. and Young, M.D. (eds) *Management of Australia's Rangelands* pp. 209-222. (2nd Edition, CSIRO Publications: Melbourne.)
- Griffin, G.F. and Allen, G.E. (1984) Fire Behaviour. In: Saxon, E.C. (ed) *Anticipating the Inevitable: A Patch Burn Strategy for Fire management at ULURU (Ayers Rock-Mt Olga) National Park*. pp. 55-68. (CSIRO: Melbourne.)
- Grosenbaugh, L.R. (1965) Generalization and reparameterization of some sigmoid and other nonlinear functions. *Biometrics*, 21, 708-714.
- Hacker, R.B., Barclay, R.M., Brill, B.J., Curran, G.C., Norris, D.A. and Woods, G.R. (1995) The Western Uplands Landsafe Management Project, No.61. *Final Report to The Murray Darling basin Natural Resources Management Strategy*. NSW Agriculture, Dubbo, NSW.
- Hacker, R.B., Wang, K.M., Richmond, G.S. and Linder, R.K. (1991) IMAGES: An integrated model of an arid grazing ecological system. *Agricultural Systems*, 37, 119-163.
- Hammer, G.L. (1984) Modelling and its relevance to agronomy. *Proceeding of the Weed Research Workshop, Workshop Series QC 84012*. Queensland Department of Primary Industries, Brisbane.
- Hammer, G.L., Freebairn, D.F., and McCown, R.L. (1983) A cropping system simulation model. *Proceedings of the 7th Australian Agronomy Conference, Adelaide, 1983*.

- Hammer, G.L. and Muchow, R.C. (1991) Quantifying climatic risk to sorghum in Australia's semiarid tropics and subtropics: model development and simulation. In: Muchow, R.C. and Bellamy, J.A. (eds.), *Climatic Risk in Crop Production: Models and Management for the Semiarid Tropics and Subtropics*. pp205-232, (CAB International, Wallingford, U.K.).
- Hanson, J.D., Skiles, J.D. and Parton, W.J. (1988) A multi-species model for rangeland plant communities. *Ecological Modelling*, 44, 89-123.
- Hart, R.H. (1978) Stocking rate theory and its application to grazing on rangelands. *Proceedings of the 1st International Rangeland Congress, Denver Colorado, 1978*. pp. 547-550.
- Hart, R.H. (1986) Stocking rate theory and grazing research: A modeling approach. In: Gudmondsson, O. (ed) *Grazing Research at Northern Latitudes*. (Plenum Press: New York.)
- Harrington, G.N., Wilson, A.D. and Young, M.D. (1990) Management of rangeland ecosystems. In: Harrington, G.N., Wilson, A.D. and Young, M.D. (eds) *Management of Australia's Rangelands*. pp. 129-139. (CSIRO, Melbourne.)
- Harrison, S.R. (1990) Regression of a model on real-system output: An invalid test of model validity. *Agricultural Systems*, 34, 183-190.
- Heady, H.F. (1975) Numbers of Animals. In: Heady, H.F. (ed) *Rangeland Management*. pp. 113-134 (McGraw Hill: New York.)
- Heady, H.F. and Child, R.D. (1994) *Rangeland Ecology and Management*. (Westview Press: Boulder.)
- Heitschmidt, R.K. and Taylor, C.A. (1991) Livestock Production. In: Heitschmidt, R.K. and Stuth, J.W. (eds) *Grazing Management, An Ecological Perspective*. pp. 161-177. (Timber Press: Oregon.)
- Holechek, J.L. (1988) An approach to setting the stocking rate. *Rangelands*, 10, 10-14.
- Holechek, J.L., Pieper, R.D. and Herbel, C.H. (1989) Considerations Concerning Stocking Rate. In: Holechek, J.L., Pieper, R.D. and Herbel, C.H. (eds) *Range Management Principles and Practices*. pp. 173-209. (Prentice Hall: New Jersey.)
- Holechek, J.L., Pieper, R.D. and Herbel, C.H. (1995) Considerations Concerning Stocking Rate. In: Holechek, J.L., Pieper, R.D. and Herbel, C.H. (eds) *Range Management Principles and Practices 2nd Edition*. pp. 177-214. (Prentice Hall: New Jersey.)
- Hulett, G.K. (1970) Productivity and biomass transfer in a Mitchell grass ecosystem. Internal Project Report. Charleville Pastoral Laboratory.
- Humphreys, L.R. (1997) Innovation, Optimisation and the Realisation of Change. In: Humphreys, L.R., *The Evolving Science of Grassland Improvement*. (Cambridge University Press: Cambridge.) (in press)
- Jameson, D.A. (1967) The relationship of tree overstory and herbaceous understory vegetation. *Journal of Range Management*, 20(4), 247-249.
- Jiggins, J. (1993) From technology transfer to resource management. *Proceedings of the XVII International Grassland Congress, Palmerston North, New Zealand and Rockhampton Australia, 1993* pp. 615-622.
- Johnson, I.R. and Parsons, A.J. (1985) Use of a model to analyse the effects of continuous grazing managements on seasonal patterns of grass production. *Grass and Forage Science*, 40, 449-458.

- Johnson, R.W., and Burrows, W.H. (1981) Acacia open - forests, woodlands and shrublands. In: Groves, R.H. (ed) *Australian Vegetation*. pp. 198-226. (Cambridge University Press: Cambridge.)
- Johnston, P.W. (1992) Management of sheep in the rangelands: can computers assist property management in western Queensland. *Agricultural Systems and Information Technology*, 4, 18-19.
- Johnston, P.W. and Carter, J.O. (1986) The role of fire in production systems in Western Queensland. *Proceedings 3rd Queensland Fire Research Workshop, Gatton, 1986*. pp. 159-172.
- Jones, R.J. and Sandland, R.L. (1974) The relation between animal gain and stocking rate. Derivation of the relation from the results of grazing trials. *Journal of Agricultural Science, Cambridge*, 83, 335-342.
- Keig, G. and McAlpine, J.R. (1969) AUSTCLIMDATA - A magnetic tape with estimated mean weekly climatic data for the Australian continent, *Technical Memorandum 69/14, CSIRO, Division of Land Research, Canberra, Australia*, 18.
- Kerr, H.W. and von Stieglitz, C.R. (1938) The laboratory determination of soil fertility. *Bureau of Sugar Experimental Stations Queensland, Technical Communication No. 9*.
- Landsberg, J., Stol, J., Stafford Smith, M. and Hodgkinson, K. (1992) Distribution of sheep, goats and kangaroos in semi-arid woodland paddocks. In: Australian Rangelands in a Changing Environment. *Proceedings of the 7th Biennial Conference of the Australian Rangeland Society, Cobar, New South Wales, 1992*, pp. 117-121.
- Landsberg, J. and Stol, J. (1996) Spatial distribution of sheep, feral goats and kangaroos in woody rangeland paddocks. *Rangeland Journal*, 18, 270-291.
- Lauenroth, W.K., Hunt, H.W., Swift, D.M. and Singh, J.S. (1986) Estimating above ground net primary production in grasslands: a simulation approach. *Ecological Modelling*, 33, 297-314.
- Lauenroth, W.K. and Sala, O.E. (1992) Long-term forage production of North American shortgrass steppe. *Ecological Applications*, 2, 397-403.
- Le Houerou, H.N. (1984) Rain use efficiency: a unifying concept in arid-land ecology. *Journal of Arid Environments*, 7, 213-247.
- Le Houerou, H.N., Bingham, R.L. and Skerbek, W. (1988) Relationship between the variability of primary production and the variability of annual precipitation in world arid lands. *Journal of Arid Environments*, 15, 1-18.
- Le Houerou, H.N. and Hoste, C.H. (1977) Rangeland production and annual rainfall relations in the Mediterranean Basin and in the African Sahelo-Sudanian zone. *Journal of Range Management*, 30, 181-189.
- Littleboy, M. and McKeon, G.M. (1996) GRASP: Grass production model: Manual for Surfair version of subroutine Grasp. *Workshop Report, Resource Management Institute, Queensland Department of Primary Industries, Brisbane, pp 48 (in press)*.
- Littleboy, M., Silburn, D.M., Freebairn, D.M., Woodruff, D.R., Hammer, G.L., and Leslie, J.K. (1992) Impact of soil erosion on sustainability of production in cropping systems 1. Development and validation of a simulation model. *Australian Journal of Soil Research*, 30, 757-774.
- Lloyd, P.L., and Burrows, W.H. (1988) The importance and economic value of native pastures to Queensland. In: Burrows, W.H., Scanlan, J.C. and Rutherford, M.T. (eds) *Native Pastures in*

- Queensland, *The resources and their management*. pp. 1-12. (Information Series QI 87023. Queensland Department of Primary Industries: Brisbane).
- Loehle, C. (1985) Optimal stocking for semi-desert range: A catastrophe theory model. *Ecological Modelling*, 27, 285-297.
- Macquarie Dictionary (1981) (Doubleday Australia Pty. Ltd.: Sydney).
- Mayer, D.G. and Butler, D.G. (1993) Statistical validation. *Ecological Modelling*, 68, 21-32.
- Mayer, D.G., Stuart, M.A. and Swain, A.J. (1994) Regression of real-world data on model output: An appropriate overall test of validity. *Agricultural Systems*, 45, 93-104.
- McCaskill, M.R. (1991) Prediction of cattle growth rates in northern Australia from climate information. *Proceedings of Conference on Agricultural Meteorology, Melbourne, 1991*. pp. 85-88. (Bureau of Meteorology: Melbourne.)
- McCown, R.L. (1980) The climatic potential for beef cattle production in tropical Australia: Part 1. Simulating the annual cycle of live weight change. *Agricultural Systems*, 6, 303-317.
- McCown, R.L., Gillard, P. and Edye, L.A. (1974) The annual variation in yield of pastures in the seasonally dry tropics of Queensland. *Australian Journal of Experimental and Agricultural Animal Husbandry*, 14, 328-333.
- McIvor, J.G., Ash, A.J., Mott, J.J. and Andrew, M.H. (1994) Ecology of grazed tropical tallgrass rangelands in northern Australia. In: *Proceedings of the 8th Biennial Conference of the Australian Rangeland Society, Katherine, Northern Territory, 1994*, pp. 115-124.
- McKeon, G.M. (1984) Soil water balance as a component of grazing system models. In: Brown, R.F. and Einerman, M.B. (eds) *Soil water balance modelling in Agriculture: Components and Applications*. pp. 17-25. Conference and Workshop Series QC 84011. (Queensland Department of Primary Industries: Brisbane).
- McKeon, G.M., Day, K.A., Howden, S.M., Mott, J.J., Orr, D.M., Scattini, W.I. and Weston, E.J. (1990). Northern Australia Savannas' management for pastoral production. *Journal of Biogeography*, 17, 355-372.
- McKeon, G.M., Hammer, G.L. and Clewett, J. (1982a) The potential of modelling for decision making in Western Queensland. In: Heussler, J. (ed) *Review of Queensland Department of Primary Industry Services to Western Queensland*.
- McKeon G.M., Howden, S.M., Silburn, D.M., Carter, J.O., Clewett, J.F., Hammer, G.L., Walker, B., Weston, E.J., and Wilcocks, J.R. (1988) The effect of climate change on crop and pastoral production in Queensland. In: Pearman, G.I. (ed) *Greenhouse: planning for climate change*. pp. 546-563. (CSIRO: Canberra.)
- McKeon, G.M., Rickert, K.G., Ash, A.J., Cooksley, D.G., and Scattini, W.J. (1982b) Pasture Production Model. *Proceedings of the Australian Society of Animal Production*, 1982. 14, 201-204.
- McKeon, G.M., and Scattini, W.J. (1980) Integration of feed sources in property management: modeling approach. *Tropical Grasslands*, 14, 246-252.
- McMeniman, N.P. Beale, I.F. and Murphy, G.M. (1986) Nutritional evaluation of south west Queensland pastures. 2. The intake and digestion of organic matter and nitrogen by sheep grazing on Mitchell grass and mulga grassland association. *Australian Journal of Agricultural Research*, 37, 303-314.



- Maden, J.J.L. and Thatcher, L.P. (1984) A pasture utilisation model to evaluate options for research into beef cattle management. *Proceedings of the Australian Society of Animal Production*, 1984. 15, 440-443.
- Meigs, P. (1953) World distribution of arid and semi arid homo-climates. In: *Review of Research on Arid Zone Hydrology*. pp. 203-209. (UNESCO: Paris.)
- Meppem, A.J., and Johnston, P.W. (1990) Examination of risk and stocking rate decisions in the mulga lands using simulation. *Australian Rangeland Journal*, 12, 3-6.
- Milchunas, D.G., Forwood, J.R. and Lauenroth, W.K. (1994) Productivity of long-term grazing treatments in response to seasonal precipitation. *Journal of Range Management*, 47, 133-139.
- Miles, R.L. (1989) Discussion Paper-Lands Department Review of Carrying Capacity. (Queensland Department of Primary Industries: Charleville).
- Miles, R.L. (1993) *The rates, processes and effects of erosion in semi arid Woodland*. Ph.D. Thesis. Griffith University.
- Mills, J.R., (1986) Degradation and rehabilitation of the mulga ecosystem. In: Sattler, P.S. (ed) *The Mulga Lands*. pp. 79-83. (Royal Society of Queensland: Brisbane.)
- Mills, J.R., (1989) Management of Mulga Lands in far south - west Queensland. *Project Report QO 89023*. Queensland Department of Primary Industries, Brisbane.
- Mills, J.R., Ahern, C.R., Purdie, R.W. and McDonald, W.J.F. (1990) Western Arid Region Land Use Study. Part 3. *Land Resources Technical Bulletin No. 29*. Queensland Department of Primary Industries, Brisbane.
- Mills, J.R. and Lee, A. (1990) Current land use. In: Mills, J.R., Ahern, C.R., Prurdie, R.W. and McDonald, W.J.F. (eds) *Western Arid Region Land Use Study. Part 3*. pp.113-122. Land Resources Technical Bulletin No. 29. (Queensland Department of Primary Industries: Brisbane).
- Mills, J.R., Turner, E.J., and Caltabiano, T. (1989) Land degradation in south - western Queensland. *Project Report QO 89008*. Queensland Department of Primary Industries, Brisbane.
- Milner, C. and Hughes, E.R. (1968) *Methods for the measurement of the primary production of grassland*. *International Biological Programme Handbook No. 6*. (Blackwell Scientific Publications: Oxford and Edinburgh.)
- Neldner, V.J. (1984) Vegetation Survey of Queensland - South Central Queensland. *Queensland Botany Bulletin No. 3*. Queensland Department of Primary Industries, Brisbane.
- Neldner, V.J. (1986) Vegetation of the Australian Mulga Lands. In: Sattler, P.S. (ed) *The Mulga Lands*. pp. 20-26 (Royal Society of Queensland: Brisbane)
- Norbury, G.L., Norbury, D.C. and Hacker, R.B. (1993) Impact of red kangaroos on the pasture layer in the Western Australian arid zone. *Rangeland Journal*, 15, 12-23.
- Northcote, K.H., Isbell, R.F., Webb, A.A., Murtha, G.D., Churchwood, H.M. and Bettenay, E. (1968) *Atlas of Australian Soils. Sheet 10. Central Australia, with Explanatory Data*. (CSIRO and Melbourne University Press: Melbourne.)
- Noy-Meir, I. (1973) Desert ecosystems: Environment and producers. *Annual Review of Ecology and Systematics*, 4, 25-51.

- O'Connor, T.G. (1985) A synthesis of field experiments concerning the grass layer in the savanna regions of Southern Africa. *South African National Scientific Programmes Report No. 114. A Report of the Committee for Terrestrial Ecosystems, National Programme for Ecosystem Research.*
- Oltjen, J.W., Bywater, A.C, Baldwin R.L., and Garrett, W.N., (1986) Development of a dynamic model of beef cattle growth and composition. *Journal of Animal Science*, 62, 86-97.
- Orr, D.M., and Holmes, W.E. (1990) Mitchell grasslands. In: Harrington, G.N., Wilson, A.D. and Young, M.D. (eds) *Management of Australia's Rangelands* pp. 241-254. (2nd Edition, CSIRO: Melbourne.)
- Orr, D.M., Evenson, C.J., Lehane, J.K., Bowly, P.S. and Cowan, D.C. (1993) Dynamics of perennial grasses in *Acacia aneura* woodlands in south-west Queensland. *Tropical Grasslands*, 27, 87-93.
- Passmore, J.G.I. (1990) Economic Profile of Graziers in the Queensland Mulga Region. *Project Report QO 90021. Queensland Department of Primary Industries, Brisbane.*
- Passmore, J.G.I., and Brown, C.G. (1992) Property size and rangeland degradation in the Queensland Mulga rangelands. *Australian Rangeland Journal*, 14, 9-25.
- Pepper, P., and McMeniman, N.P. (1980) Modelling lamb and wool production. *Proceedings of the 4th Biennial Simulation Society of Australian Conferee, 1980.* pp. 172-178.
- Perry, R.A. (1970) Arid Shrublands and Grasslands. In: Moore, R.M. (ed) *Australian Grasslands*. pp. 246-259. (Australian National University Press: Canberra.)
- Phelps, D.G., Orr, D.M., Newmwn, P.A. and Bird, A.R. (1994) Grazing northern mitchell grasslands to foster sustainable wool production. *Final Report to Australian Wool Research and Promotion Organisation, (DAQ31), Queensland Department of Primary Industries, Brisbane..*
- Pickup, G. (1995) A simple model for predicting herbage production from rainfall in rangelands and its calibration using remotely-sensed data. *Journal of Arid Environments*, 30, 227-245.
- Pressland, A.J. (1976) Possible effects of removal of mulga on rangeland stability in south western Queensland. *Australian Rangeland Journal*, 1, 24-30.
- Pressland, A.J. (1982) Water use efficiency of three native mulga grasses and one exotic grass. *Queensland Journal of Agriculture and Animal Sciences*, 39, 171-181.
- Pressland, A.J. (1984) A review of productivity and management of western Queensland's Rangelands. *Australian Rangeland Journal*, 6, 26-45.
- Pressland, A.J. and Cowan, D.C. (1987) Response of plant growth to removal of surface soil of the rangelands of Western Queensland. *Australian Rangeland Journal*, 9, 74-78.
- Purdie, R.W. and McDonald, W.J.F. (1990) Vegetation In: Mills, J.R., Ahern, C.R., Purdie, R.W. and McDonald, W.J.F. (eds) *Western Arid Region Land Use Study. Part 3.* pp. 69-103. Land Resources Technical Bulletin No. 29. (Queensland Department of Primary Industries: Brisbane).
- Ratcliffe, F.N. (1937) Further observations on soil erosion and sand drift, with special reference to South Western Queensland. *Bulletin No. 70. Council of Scientific and Industrial Research Australia.*
- Redman, R.E. (1975) Production ecology of grassland plant communities in western North Dakota. *Ecological Monographs*, 45, 83-106.

- Redman, R.E. (1992) Primary productivity. In: Coupland, R.T. (ed) *Ecosystems of the World 8A: Natural Grasslands. Introduction and Western Hemisphere*. pp. 75-93. (Elsevier Press: Amsterdam.)
- Reid, G.K.R. and Thomas, D.A. (1973) Pastoral production, stocking rate, and seasonal conditions. *Quarterly Review of Agricultural Economics*, 26, 217-227.
- Rickert, K.G. (1975) *Transpiration in Wheat: A Characterization at Anthesis*. Ph.D. Thesis. University of Western Australia.
- Rickert, K.G. (1984) An overview of progress in water balance modelling. In: Brown, R.F. and Einerman, M.B. (eds) *Soil Water Balance Modelling in Agriculture: Components and Applications*. pp. 1-16. *Conference and Workshop Series QC 84011. Queensland Department of Primary Industries, Brisbane.*
- Rickert, K.G., and McKeon, G.M. (1982) Soil Water Balance Model: WATSUP. *Proceedings of the Australian Society of Animal Production*. 14, 199-200.
- Ridge, P. and Cox, P.G. (1995) Market Research for Decision Support for Dryland Crop Production. *Draft Report to LWRRDC/GRDC/RIRDC Project No. CTC3, Agricultural Production Systems Unit, Toowoomba, Queensland.*
- Ripley, E.A. (1992) Water Flow. In: Coupland, R.T. (ed) *Ecosystems of the World 8A: Natural Grasslands. Introduction and Western Hemisphere*, pp. 55-73. (Elsevier Press: Amsterdam.)
- Roe, R. and Allen, G.H. (1945) Studies on the Mitchell grass association in South West Queensland. *Bulletin No. 185*. pp. 1-27. *Council for Scientific and Industrial Research.*
- Roe, R. and Allen, G.H. (1993) Studies on the Mitchell grass association in south-western Queensland. 3. Pasture and wool production under different rates of stocking and continuous or rotational grazing. *Rangeland Journal*, 15, 302-319.
- Ross, P.J. (1977a) Data collection for agricultural modelling. In: De Boer, A.J. and Rose, C.W. (eds) *Applications in agricultural modelling*. pp. 37-77. (Queensland Branch, Australian Institute of Agricultural Science: Brisbane.)
- Ross, M.A. (1977b) Concurrent changes in plant weight and soil water regimes in herbaceous communities in Central Australia. *Australian Journal of Ecology*, 2, 257-268.
- Sala, O.E., Parton, W.J., Joyce, L.A. and Lauenroth, W.K. (1988) Primary production of the central grassland region of the United States. *Ecology*, 69, 40-45.
- Scanlan, J.C. (1984) *Aspects of the Ecology and Management of Eucalypt and Brigalow Communities in Central Queensland*. M.Agr.Sc Thesis. University of Queensland.
- Scanlan, J.C. (1991) Woody overstorey-herbaceous understorey biomass in a regrowing brigalow (*Acacia harpophylla*) community. *Australian Journal of Ecology*, 16, 521-529.
- Scanlan, J.C. and Burrows, W.H. (1990) Woody overstorey impact on herbaceous understorey in *Eucalyptus* spp. communities in central Queensland. *Australian Journal of Ecology*, 15, 191-197.
- Scanlan, J.C. and McKeon, G.M. (1993) Competitive effects of trees on pasture are a function of rainfall distribution and soil depth. *Proceedings of the XVII International Grassland Congress, Palmerston North, New Zealand and Rockhampton, Australia, 1993*, pp. 2231-2.

- Scanlan, J.C., McKeon, G.M., Day, K.A., Mott, J.J. and Hinton, A.W. (1994) Estimating safe carrying capacities in extensive cattle grazing properties within tropical semi-arid woodlands of north-eastern Australia. *Rangeland Journal*, 16, 64-76.
- Silcock, R.G., Noble, J.A. and Whalley R.D.B. (1976) Importance of phosphorus and nitrogen in the nutrition of grass seedlings growing in mulga soil. *Australian Journal of Agricultural Research*, 27, 583-592.
- Silcock, R.G., Williams, L.M., Lehane, K.J. and Smith, F.T. (1985) Seasonal distribution of herbage growth from sandplain mulga country, Charleville. *The Australian Rangeland Journal*, 7(2), 99-102.
- Simms, P.L. and Singh, J.S. (1978) The structure and function of ten Western Northern American grasslands II: Intra-seasonal dynamics in primary producer components. *Journal of Ecology*, 66, 547-572.
- Singh, J.S., Lauenroth, W.K. and Steinhorst, R.K. (1975) Review and assessment of various techniques for estimating net aerial primary production in grasslands from harvest data. *Botanical Review*, 41, 181-232.
- Slatyer, R.O. (1961) Methodology of a water balance study conducted on a desert woodland (*Acacia aneura* F. Muell.) community in central Australia. In: *Plant Water Relations in Semi-Arid Conditions. Proceedings of the Madrid Symposium*. pp. 15-26. (UNESCO: Paris.)
- Smith, E.M., Tharel, L.M., Brown, M.A., Dougherty, C.T., Limbach, K. (1985) A simulation model for managing perennial grass pastures. Part 1 - structure of the model. *Agricultural Systems*, 17, 155-180.
- Smith, F.T., and Silcock, R.G. (1986) Guidelines for new plant introduction research projects in semi - arid Rangelands. In: Joss, P.J., Lynch, P.W. and Williams, O.B. (eds) *Rangelands a resource under siege*. pp. 308-309. (Australian Academy of Science / Cambridge University Press: Canberra.)
- Society for Range Management (1989) *A Glossary of Terms Used in Range Management*, 3rd. Edition, (Society for Range Management: Denver, Colorado).
- Specht, R.L., (1981) Major vegetation forms in Australia. In: Keast, A. (ed) *Ecological Biogeography of Australia*. pp. 163-297. (Dr W. Junk publishers: The Hague)
- Stafford Smith, D.M. and Foran, B.D. (1988) Strategic decisions for pastoral management. *The Australian Rangeland Journal*, 10, 82-95.
- Stafford Smith, D.M. and Foran, B.D. (1990) RANGEPACK: the philosophy underlying the development of a micro-computer based decision support system for pastoral land management. *Journal of Biogeography*, 17, 541-546.
- Stout, W.L., Vona, L.C., Skiles, J.W., Shaffer, J.A., Jung, G.A. and Reid, R.L. (1990) Evaluating SPUR model for predicting animal gains and biomass on Easton Hill Land pastures. *Agricultural Systems*, 34, 169-178.
- Sullivan, M.T., Day, J.R., Clarke, M.R., and Dunlop, L.B., (1986) Management to sustain animal productivity and stability in the Mulga Zone. In: Sattler, P.S. (ed) *The Mulga Lands*. pp. 98-102. (Royal Society of Queensland: Brisbane).

- Swartzmann, G.L. and Van Dyne, G.M. (1972) An ecologically based simulation-optimisation approach to natural resource planning. *Annual Review of Ecology and Systematics*, 3, 347-398.
- Tanner, C.B. and Sinclair, T.R. (1983) Efficient water use in crop production: re-search or research ? In: Taylor, H.M., Jordan, W.R. and Sinclair, T.R. (eds) *Limitations to efficient water use in crop production*. pp.1-27. (ASA-CSSA-SSSA: Madison, Wisconsin.)
- Tharel, L.M., Smith, E.M., Brown, M.A., Limback, K. and Razor, B. (1985) A simulation model for managing perennial grass pastures. Part 2 - A simulated systems analysis of Grazing Management. *Agricultural Systems*, 17, 181-196.
- Thornton, P.K. and Hansen, J.W. (1996) A note on regressing real-world data on model output. *Agricultural Systems*, 50, 411-414.
- Turner, E.J. (1978) Land Systems. In: *Western Arid Region Land Use Study, Part 1*. pp. 53-60. Land Resources Technical Bulletin, No. 23. (Queensland Department of Primary Industries: Brisbane).
- Turner, J.R. and Tainton, N.M. (1989) Interrelationships between veld condition, herbage mass, stocking rate and animal performance in the Tall Grassland of Natal. *Journal of the Grassland Society of South Africa*, 6(4), 175-182.
- Vallentine, J.F. (1990a) Grazing Capacity Inventory. In: Vallentine, J.F. (ed) *Grazing Management*. pp. 294-320. (Academic Press: New York.)
- Vallentine, J.F. (1990b) Grazing Intensity. In: Vallentine, J.F. (ed) *Grazing Management*. pp. 321-351. (Academic Press: New York.)
- Van Dyne, G.M. (1970) A systems approach to grasslands. *Proceedings of the XI International Grassland Congress, Surfers Paradise, 1970*. pp. A131-A143.
- Walker, J.W. (1995) Viewpoint: Grazing management and research now and in the next millennium. *Journal of Range Management*, 48, 350-357.
- Walker, J., Moore, R.M. and Robertson, J.A. (1972) Herbage response to tree and shrub thinning in *Eucalyptus populnea* shrub woodlands. *Australian Journal of Agricultural Research*, 23, 405-410.
- Walker, J.W., Stuth, J.W. and Heitschmidt, R.K. (1989) A simulation approach for evaluating field data from grazing trials. *Agricultural Systems*, 30, 301-316.
- Walker, P.J., and Fogarty, P.T., (1986) Soils of the Mulga lands. In: Sattler, P.S. (ed) *The Mulga Lands*. pp. 14-19. (Royal Society of Queensland: Brisbane).
- Warrego Graziers Association (1988) Submission to the United Graziers Association on the degradation of south-west Queensland.
- Webb, W., Szarek, S., Lauenroth, W.K., Kinerson, R. and Smith, M. (1978) Primary productivity and water use in native forest, grassland and desert ecosystems. *Ecology*, 59(6), 1239-1247.
- Weiss, A., and Robb J.G. (1986) Perceptions on 'Systems' in production agriculture. *Agricultural and Forest Meteorology*, 36, 281-285.
- Westoby, M., Walker, B. and Noy-Meir, I. (1989) Opportunistic management for rangelands not at equilibrium. *Journal of Range Management*, 42, 266-274.

- Weston, E.J., Harbison, J., Leslie, J.K., Rosenthal, K.M. and Mayer, R.J. (1981) Assessment of the agricultural and pastoral potential of Queensland. *Agriculture Branch Technical Report No. 27 Queensland Department of Primary Industries, Brisbane.*
- White, B.J. (1978) A simulation-based evaluation of Queensland's northern sheep industry. *Monograph Series No. 10. Department of Geography James Cook University.*
- White, D.H. (1987) Stocking Rate. In: Snaydon, R.W. (ed) *Ecosystems of the World: Managed Grasslands: Analytical Studies.* pp.227-238. (Elsevier Science Publications: Amsterdam.)
- Wight, J.R., Hanson, C.L. and Whitmer, D. (1984) Using weather records with a forage production. *Journal of Range Management*, 37, 3-6.
- Wilcox, B.P., Rawls, W.J., Brakensiek, D.L., and Wight, J.R. (1990) Predicting runoff from rangeland Catchments: A comparison of two models. *Water Resources Research*, 26, 2401-2410.
- Williams, R. (1995) South West Strategy, An integrated regional adjustment and recovery program for south west Queensland. *Mimeograph, Queensland Department of Primary Industries, Charleville.*
- Wilson, A.D. and Harrington, G.N. (1990) Grazing Ecology and Animal Production. In: Harrington, G.N., Wilson, A.D. and Young, M.D. (eds) *Management of Australia's Rangelands.* pp. 63-77. (CSIRO: Melbourne.)
- Wilson, A.D., Harrington, G.N. and Beale, I.F. (1990) Grazing Management. In: Harrington, G.N., Wilson, A.D. and Young, M.D. (eds) *Management of Australia's Rangelands.* pp. 129-139. (CSIRO: Melbourne.)
- Wilson, A.D. (1991) The influence of kangaroos and forage supply on sheep productivity in the semi-arid woodlands. *Rangeland Journal*, 13, 69-80.